



Advanced Light Combat Vehicle Armament
(ALACV)
Air Bursting Munition

Mr. John Hirlinger
Cannon Ammo Br, Light Arm't Div
CCAC, TACOM-ARDEC
12 April 2001

Report Documentation Page

Report Date 12Apr2001	Report Type N/A	Dates Covered (from... to) -
Title and Subtitle Advanced Light Combat Vehicle Armament (ALACV) Air Bursting Munition	Contract Number	
	Grant Number	
	Program Element Number	
Author(s) Hirlinger, John	Project Number	
	Task Number	
	Work Unit Number	
Performing Organization Name(s) and Address(es) CCAC, TACOM-ARDEC	Performing Organization Report Number	
Sponsoring/Monitoring Agency Name(s) and Address(es) NDIA (National Defense Industrial Association) 211 Wilson Blvd, STE. 400 Arlington, VA 22201-3061	Sponsor/Monitor's Acronym(s)	
	Sponsor/Monitor's Report Number(s)	
Distribution/Availability Statement Approved for public release, distribution unlimited		
Supplementary Notes Proceedings from the 36th Annual Gun & Ammunition Symposium & Exhibition 9-12 April 2001 Sponsored by NDIA		
Abstract		
Subject Terms		
Report Classification unclassified	Classification of this page unclassified	
Classification of Abstract unclassified	Limitation of Abstract UU	
Number of Pages 20		



Briefing Agenda

- Objectives
- Demonstration Vehicle Constraints
- Case Length Determinations/Mann Barrel Interface
- Body Sleeve
- Baseline Body Design Analysis
- Fuze



Objectives

- Develop a cartridge that will burst at a pre-determined location
- Show an increase in lethal area of 400% when compared to a 30 x 173 HEI projectile with a PD fuze



TACOM


Lethality, Survivability, Mobility and Sustainment for America's Army

PROBABILITY OF INCAPACITATION GIVEN A BURST

Warhead: Generic 30mm

Range: 1000 m - Burst Height: 0.00 ft

Prone Target - Incapacitation Criterion: 30 Second Assault - Body Part: Whole Body



Tank-automotive & Armaments COMmand



TACOM


Lethality, Survivability, Mobility and Sustainment for America's Army

PROBABILITY OF INCAPACITATION GIVEN A BURST

Warhead: Generic 30mm

Range: 1000 m - Burst Height: 0.00 ft

Prone Target - Incapacitation Criterion: 30 Second Assault - Body Part: Whole Body



Tank-automotive & Armaments COMmand




TACOM

Lethality, Survivability, Mobility and Sustainment for America's Army


Warhead Modeling

M789 (for fragmentation comparison)





M789 fragmentation comparison




Excellent Agreement!



TACOM

Lethality, Survivability, Mobility and Sustainment for America's Army

M789 fragmentation comparison




Excellent Agreement!

Tank-automotive & Armaments COMmand



TACOM


Lethality, Survivability, Mobility and Sustainment for America's Army




Tank-automotive & Armaments COMmand




*Preliminary Baseline
Base Fuzed*




t=11.2% (0.0885 in)



t=22.5% (0.1770 in)





t=33.7% (0.2655 in)





*Preliminary Baseline
Base Fuzed*







TACOM

Lethality, Survivability, Mobility and
Sustainment for America's Army

ALACV A/B Warhead *Downselected Baselines*


$t=0ms$




$t=0ms$



$t=30ms$



$t=30ms$




Rear Fuze Configuration
(concept 12, abw01)

Nose Fuze Configuration
(concept 9a, abw13)



TACOM


Lethality, Survivability, Mobility and Sustainment for America's Army





TACOM

Lethality, Survivability, Mobility and Sustainment for America's Army





TACOM

Lethality, Survivability, Mobility and Sustainment for America's Army

Fragmentation Testing


Test Set-up




Original Warhead



High Speed Photography




X-ray Result



Velocity Distribution!

Collected Frag



Mass Distribution!

- *Velocity Distribution*
- *Mass Distribution*
- *Required Design Information*
- *Less expensive/time than Arena*
- *Final Prototype Arena Testing*


Tank-automotive & Armaments COMmand



TACOM

Lethality, Survivability, Mobility and Sustainment for America's Army

Base Initiated Steel Baseline Finite Element G-load analysis




Tank-automotive & Armaments COMmand



Finite Element G-load analysis

Warhead
Survives
Full Load





ALACV FUZE


- In-house Design of a Modular Timed Fuze
 - Maximum Use of Off-The-Shelf Components
 - Pre-set Time Input
 - Single Shot Test Firing Only
- CRADA with Industry
 - Define Interfaces between Electronics/S&A
 - Partner to Demo Advanced Designs & Multiple Mission Modes



TACOM

Lethality, Survivability, Mobility and
Sustainment for America's Army

ALACV Baseline Projectile



Tank-automotive & Armaments COMmand